


Case IH Pro 600

Case IH Pro 700 version 28 & Below


1. Email your **Account email, Field Names (and Field Numbers)** with VRx to support@advantageacre.com to be converted to **.cn1 files**.
2. For **Pro 600**: Transfer **.cn1 files** to **Compact Flash Card**. **NOTE**: Case IH highly recommends using their own Compact Flash Card, Part # 84322404. Do NOT use more than 4GB flash cards.

For Pro 700: Transfer **.cn1 files** to **USB flash drive**. **NOTE**: Case IH highly recommends using their own USB Flash Drive, Part # 4796296. Do NOT use more than 4GB flash drive.

3. **Insert the flash card into the monitor BEFORE starting your tractor!**
4. **Go to Toolbox, Select Product. Verify** correct VRx Setup.
 - a. Hybrid/Variety Names
 - b. VRx Min and Max (VRx bounds to prevent under or over planting)
5. **Select Back** in the lower left, go to the home screen, **select Work Condition**.




6. At the bottom **select the Layer** tab.




- a. **Assign** work condition as you normally would when planting by **selecting Work Condition** and **enter Planting**.
- b. For **LAYER 1** select **Seed**.
- c. For **PRODUCT 1** select the **Product** that you will be planting in this field.

7. **Go back** to the **Home** screen and **select Performance**.



8. At the bottom, **scroll** to the right and **select RX Setup**.



- a. At the top, **enable Auto Reload Rx**.
 - b. **Select** the corresponding **Grower, Farm, and Field** to the VR recommendation.
 - c. **Select Prescription 1**, **click** the VR recommendation.
 - d. **Set the Out of Zone Rate 1**. If GPS location is lost, the **Out of Zone Rate 1 population** will be planted until GPS location returns.
9. VRx's are loaded into your Pro 600/700v28 monitor. ***You are ready to plant!***

Case IH AFS Subscribers Support 855-423-7435

Advantage Acre Support 855-278-9134